Serious Psychological Distress (Adults)

- Serious Psychological Distress (Adults)

 •Most recent data (2013): 4% or about 59,300 King County adults age 18+.

 •Trend over time: Insufficient data to determine trend.

 •Description: Scale score reflecting how often felt nervous, hopeless, restless, depressed, worthless, or that everything was an effort, during last 30 days

Serious psychological distress (adults), King County, 2009-2013 average

	Percent	Lower CI	Upper CI		
King County (adults age 18+)	3	3	4		
AGE					
18-24	3§	2 §	5 §		
25-44	3	2	4		
45-64	4	3	5		
65+	1	1	2		
GENDER					
Male	3	3	4		
Female	3	2	3		
RACE/ETHNICITY					
AIAN	5 §	2 §	15 §		
Asian	2 §	1 §	4 \$		
Black	4 §	2 §	8 §		
Hispanic	6	3	9		
Multiple	3 §	2 §	7 \$		
NHPI	4 §	1 §	22 §		
White	3	2	3		
HOUSEHOLD INCOME					
<\$15,000	15	11	20		
\$15,000 to \$24,999	5	3	8		
\$25,000 to \$34,999	3 §	1 §	5 §		
\$35,000 to \$49,999	2§	1 §	3 §		
\$50,000 to \$74,999	2	1	3		
\$75,000+	1	0	1		
REGION					
East	2	1	3		
North	2§	1 §	3 §		
Seattle	3	2	4		
South	4	3	5		

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Serious psychological distress (adults) King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

|-----| Confidence interval shows range that includes true value 95% of the time.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.

Serious psychological distress (adults) by comparison areas

There is no Healthy People 2020 Objective for serious psychological distress (adults).

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2009	4	4	4
WA State	2009	3	2	4
King County	2013	4	3	5


Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Cl is 95% Confidence Interval.

Serious psychological distress (adults) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
|-----| Confidence interval shows range that includes true value 95% of the time.

Serious psychological distress (adults) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	3	3	4
Auburn	3 §	1 §	9§
Auburn-North	1 §	0 §	3§
Auburn-South	6 §	2 §	22 §
Bear Creek/Carnation/Duvall	0 §	0 §	2 §
Bellevue	2 §	1 §	5 §
Bellevue-Central	4 §	1 §	12 §
Bellewe-NE	1 §	0 §	5 §
Bellevue-South	2 §	0 §	6 §
Bellewe-West	3 §	1 §	9 §
Black Diamond/Enumclaw/SE County	4 §	1 §	11 [§]
Bothell/Woodinville	1 §	0 §	5 §
Burien	6 §	3 §	13 §
Covington/Maple Valley	2 §	1 §	5 §
Des Moines/Normandy Park	6 §	3 §	12 §
East Federal Way	6 §	3 §	13 §
Fairwood	2 §	1 §	5 §
Federal Way	5 §	3§	10 §
Fed Way-Central/Military Rd	5 \$	2 §	12 §
Fed Way-Dash Point/Woodmont	6 §	2§	14 §
Issaguah	4 \$	1 §	13 §
Kenmore/LFP	2\$	0 §	7\$
Kent	3§	2 §	6 §
Kent-East	2 §	1 §	6 §
Kent-SE	3§	1 \$	6 §
Kent-West	6 §	2 §	20 §
Kirkland	3 §	1§	5 §
Kirkland	3 %	1§	6 §
Kirkland North	2 §	0 §	10 §
Mercer Isle/Pt Cities	3§	1 §	14 §
Newcastle/Four Creeks	3 %	0 §	16 §
North Highline	3 %	0 §	20 §
Redmond	0 §	0 §	20 \$ 2 \$
Renton	2§	1§	
Renton-East	0 §	0 §	3 §
Renton-North	3 §	1§	7\$
Renton-South			
Renton-South	3 §	1 § N/A	10 [§] N/A
Sammamisn SeaTac/Tukwila	5 §	2 §	12 §
Seattle	3	2	4
Ballard	3§	1 §	8 §
Beacon/Gtown/S.Park	6 §	2 §	18 §
Capitol Hill/E.lake	4 \$	1 §	12 §
Central Seattle	2\$	0 §	7\$
Delridge	2 §	1 §	7 \$
Downtown	6 §	2 §	16 §
Fremont/Greenlake	1 §	0 §	3 §
NE Seattle	1 \$	0 §	6 §
North Seattle	6 §	3 §	12 §
NW Seattle	2 §	1§	5 §
QA/Magnolia	3§	1 \$	7 §
SE Seattle	3 \$	1 \$	7 s 11 §
West Seattle	3 %	1§	6 §
Shoreline	2 §	1 \$	5 §
Snoqualmie/North Bend/Skykomish	2 %	1 ⁹	
	<u> </u>		8 §
Vashon Island	0 §	0 §	3 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

N/A: Not available.


Cl is 95% Confidence Interval.

 $^{^{\}star}$ Too few cases to protect confidentiality and/or report reliable rates.

 $[\]S$ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any ra	ace and are included in the racial categori	es.	 	

Serious psychological distress (adults) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
12/14

